1#		Drawing for TV Stand
2#		 Screwdriver 2. Cabinet Leg Door Hinge 4. Handle Magnetic Door Stopper 6. Triple piece: lock Triple piece: screw 8. Triple piece: pre-embedded Fixed wooden plug 10. Self-tapping screw Long bar screw
3#	A MARINE AND A MAR	Arrange the plate components and confirm the corresponding position of each component
4#		Knock in the embedded part according to the preset hole and screw it into the screw
5#		Knock in the fixed link cork according to the preset hole
6#		As shown in the picture, install all the screws and wooden plugs
7#	对違短 御人耀轩, 并用颜扣领 案图室。	As shown in the figure, connect the three vertical plates and the bottom plate of the mobile cabinet first. Insert the screw into the preset hole and lock it with the lock.

8#		Insert the backplane along the slot, pay attention to even force on both sides
9#		Install the upper panel of the mobile cabinet at the corresponding position
10#		Turn the cabinet over and use self-tapping screws to fix the two cabinet legs on the bottom plate
11#		The installation of the main body of the mobile cabinet is completed, and it is temporarily placed aside
12#	较短的为底板	Find the upper and lower panels of the motherboard frame, and install four cabinet legs on the bottom plate The short one is the bottom plate
13#		First assemble the three side panels of the side cabinet
14#		Install the assembled three facades on the base plate according to the preset hole position

15#		Put the rented mobile cabinet on the main frame as shown in the figure
16#		Corresponding to the preset holes, assemble the small board to the upper board.
17#		Assemble the assembled upper panel to the subject frame
18#	住意底板开槽位置	Find the drawer assembly, and assemble the three side panels first, paying attention to the position of the slot on the bottom panel.
19#		Insert the backplane along the slot, pay attention to even force on both sides
20#		Install the drawer panel, pay attention to the seam of the bottom plate slot during the process, and fasten both sides
21#		Corresponding to the preset hole, use screws to fix the drawer handle

22#		Repeat steps 18# - 21# to complete the installation of the two drawers
23#	No. Contraction of the second se	In the corresponding position, use self-tapping screws to install the door hinge on the cabinet door.
24#		Use self-tapping screws to fix the cabinet door, and need to fine- tune the door hinge positioning during the process
25#	in a	Open and close the cabinet door to determine the position of the door stopper and fix it with self-tapping screws.
26#		Secure cabinet door handles with long shank screws through pre- set holes
27#		After adjusting the height of the cabinet legs to ensure stability, all installation is completed.